Technical advice

Neuguinea Impatiens SUNPATIENS®

Describtion:
Sunpatiens® are known for high tolerance in hot and sunny locations. They are also vigorous plants ideally for landscaping.

Potting:
Week 5 - 12
Pot 12 – 13 cm

Sales:
- Starts end of april

Substrate:
- Potting-Substrate
- pH 5,5 – 6,5

Fertilizer:
Low nutrient need: Do not use depot fertilizer, EC value shall not exceed 1,2 to 1,8

Temperature:
Cold tolerant crop. Directly after potting daily average temperature 18°C, thereafter with DAT at 14°C.
Hardening at 10°C.

Light:
After roots established give full light during day.

Flowers:
End of april

Growth regulators:
Bonzi 2 - 4 ppm

Pinching:
Soft pinch, 6 -7 days after potting.
Further pinch maybe necessary.

Diseases / Pests:
Botrytis, pythium, rizoctionia, aphids, virus.

Spacing:
20 - 25 plants / sqm.

Elsner pac® Vertriebsgesellschaft mbH | Am Fiebig 14 | 01561 Thiendorf
Phone: +49 35248 3991-0 | E-Mail: info@pac-elsner.com

PASSION
AND COMPETENCE