Technical advice

Sutera

Describtion

Our Sutera line has exceptionally large flowers. The line grows uniform and is very suitable to partner with other crops in mixed baskets.

Potting:

Week 4 - 10
Pot 10,5 – 12 cm

Sales:

- Starts end of april after 6 – 9 weeks cultivation

Substrate:

- Potting-Substrate
- pH 5,5 – 6,5

Fertilizer:

Moderate nutrient need: with continuous fertigation at 0,05 % to 0,08 % or weekly fertigation 1 -2 times per week at 0,1 % bis 0,2 %.

Do not cultivate on the dry side

Temperature:

Cold tolerant crop. Directly after potting daily average temperature 18°C, thereafter with DAT at 14°C.
Hardening at 10°C.

Light:

Full light can be given after establishment. Need to shade from light levels higher than 40 to 45 klx.

Flowers

End of april

Growth regulators:

Alar 1275 – 2500 ppm, Bonzi 4 -8 ppm

Pinching:

Soft pinch one week after potting. Further pinch may be necessary.

Diseases / pests:

Aphids, root born fungi, white fly

Spacing:

25- 38 plants / sqm.

Elsner pac® Vertriebsgesellschaft mbH | Am Fiebig 14 | 01561 Thiendorf
Phone: +49 35248 3991-0 | E-Mail: info@pac-elsner.com

PASSION
AND COMPETENCE